Advancements in Smart Technologies and Robotics

Dr. Asif Khan
Mentor
Integral Robotics Lab
Integral University, Lucknow

Dr. Mohammad Atif Siddiqui
Head
Integral Robotics Lab
Integral University, Lucknow

Integral Robotics Lab
Integral University, Lucknow
Kursi Rd, Lucknow, Uttar Pradesh 226026

Contents

Chapter-01 05

SmartShade Control: Automated Curtain Management System

Chapter-02 06

Print Master Analytics Exploring Data Insights

Chapter-03 07

Print Master Analytics Exploring Data Insights In Snapmaker 3D Printing

Chapter-04 08

TurtleBot Explorer: Navigating Robotics and Autonomous Exploration

Chapter-05 09

ROS Arm Pick & Place: Automated Object Manipulation with a 6-DOF Robotic Arm.

Chapter-06 10

ROBOTICS ARMS Pick and Place

Chapter-07 11

An Analysis of DOF Robotic Arm: Design, Control, and Applications

Chapter-08 12

Arduino Based Fire-fighting Robot

Chapter-09 13

Prediction Model for Breast Cancer Diagnosis using Machine Learning Techniques

Chapter-10 14

Agritech- Smart Agriculture Monitoring System

Chapter-11 15

Motion Planning for Quadcopters using OptiTrack Motion Capture and MATLAB

Abstract

The book "Advancements in Smart Technologies and Robotics: From Automation to Real-World Applications" is a comprehensive and insightful exploration of cutting-edge developments in the fields of smart technology and robotics. This book brings together a collection of chapters, each dedicated to shedding light on the latest innovations and their practical implications.

he first topic, "SmartShade Control: Automated Curtain Management System," unveils an intelligent solution that revolutionizes indoor comfort and energy efficiency by automating curtain management. Readers will discover the seamless integration of smart technologies into everyday life, enhancing user experience and optimizing resource consumption.

Moving on, "PrintMaster Analytics: Exploring Data Insights in Snapmaker 3D Printing" delves into the realm of data-driven insights in the context of 3D printing. This chapter showcases how the powerful combination of data analytics and 3D printing technology, specifically using Snapmaker, enhances the quality and efficiency of the additive manufacturing process.

"TurtleBot Explorer: Navigating Robotics and Autonomous Exploration" is another highlight of the book. This topic explores the advancements in robotic navigation and the potential for autonomous exploration. From industrial applications to search and rescue missions, readers will gain an understanding of how robotic explorers are transforming various sectors.

The book also features "ROS Arm Pick & Place: Automated Object Manipulation with a 6-DOF Robotic Arm." This chapter demonstrates the capabilities of a 6-degree-of-freedom robotic arm and its role in automating object manipulation tasks. Readers will learn about the underlying technologies and the impact of such innovations on industries ranging from manufacturing to healthcare.

Lastly, the book delves into "Real-World Application of AI, Robotics, Machine Learning /Deep Learning." This essential topic presents a series of practical case studies where AI, robotics, and machine learning technologies have been successfully applied. From autonomous vehicles to medical diagnosis and recommendation systems, readers will witness the transformative power of these technologies in real-world scenarios.

The book serves as a valuable resource for researchers, engineers, and students interested in staying at the forefront of smart technologies and robotics. By combining theoretical foundations with real-world applications, it empowers readers to envision and create a future enriched by intelligent automation and cutting-edge advancements.

Smart Shade Control Automated Curtain Management System

Huda Iqbal, Integral University, Lucknow, India, huda.bint.iqbal@gmail.com

Abstract **The Smart Shade Control Automated Curtain Management System is a cutting-edge solution designed to revolutionize curtain management in residential and commercial spaces. This system leverages smart technology and automation to provide seamless control over curtains, allowing users to easily adjust lighting, privacy, and temperature with the touch of a button. With its intuitive interface and customizable settings, the system enhances convenience, energy efficiency, and user comfort. Experience the future of curtain management with the Smart Shade Control Automated Curtain Management System.**

Index Terms - List key index terms here. No more than 5.

I. INTRODUCTION

The Smart Shade Control Automated Curtain Management System represents a breakthrough in the field of smart home automation. This innovative system offers seamless control over curtains, enabling users to effortlessly manage lighting, privacy, and temperature in residential and commercial spaces. By leveraging advanced technology and automation, this system provides a convenient and user-friendly interface for controlling curtains with precision and efficiency.

With the ability to schedule curtain movements, adjust settings remotely, and integrate with other smart devices, the Smart Shade Control System enhances comfort, energy efficiency, and security. This introduction provides an overview of the features and benefits of the Smart Shade Control Automated Curtain Management System, showcasing its potential to transform traditional curtain management into a seamless, automated experience. alytics to enhance the overall 3D printing experience.

II. PROBLEM FORMULATION AND SIMULATION

The problem addressed in this study revolves around the implementation of the Smart Shade Control Automated Curtain Management System. The objective is to develop and simulate a system that effectively manages and controls curtains in residential and commercial spaces. The simulation aims to optimize curtain movements based on user preferences, lighting conditions, and temperature, while ensuring privacy and energy efficiency. By utilizing advanced algorithms and automation, the system aims to provide seamless and precise control over curtain operations. Through simulations, various scenarios can be tested to identify the most efficient curtain management strategies. This problem formulation and simulation approach will enable the development of an effective and user-friendly automated curtain management system.

Fig 1: Smart Shade Control (Integral Robotics Lab)

III. CONCLUSION AND FUTURE WORK

In conclusion, the Smart Shade Control Automated Curtain Management System offers a sophisticated and convenient solution for managing curtains in residential and commercial spaces. By leveraging advanced technology and automation, it provides seamless control over lighting, privacy, and temperature. The system's capabilities enhance user comfort, energy efficiency, and security, transforming traditional curtain management into an automated and efficient process.

In terms of future work, further enhancements can be made to improve the system's integration with other smart home devices and platforms. Additionally, incorporating machine learning algorithms to adapt curtain movements based on user preferences and environmental conditions would further optimize the system's performance. Furthermore, expanding the system's compatibility with different curtain types and sizes would make it more versatile and accessible for a wider range of users. These developments will continue to elevate the Smart Shade Control Automated Curtain Management System and contribute to the advancement of smart home automation.

ACKNOWLEDGMENT

This work is supported by **Integral Robotics Lab**, Integral University, Lucknow, India.

REFERENCES

1. O'Brien, W., Kapsis, K., & Athienitis, A. K. (2013). Manually-operated window shade patterns in office buildings: A critical review. Building and Environment, 60, 319-338..
2. Inkarojrit, Vorapat. Balancing comfort: occupants' control of window blinds in private offices. University of California, Berkeley, 2005.
3. O'Grady, Timothy, Heap-Yih Chong, and Gregory M. Morrison. "A systematic review and meta-analysis of building automation systems." Building and Environment 195 (2021): 107770.

Print Master Analytics Exploring Data Insights

Md. Shams Raza, Integral University, Lucknow, India, shamsr@student.iul.ac.in

Abstract **This study explores the application of print master analytics in the domain of 3D printing, specifically focusing on the Snapmaker platform. By analyzing data collected during the printing process, this study aims to uncover valuable insights and patterns that can enhance print quality, efficiency, and overall user experience. Utilizing statistical techniques and visualization tools, the research investigates the relationships between various variables such as printer settings, material properties, and printing outcomes. The findings contribute to advancing 3D printing by providing actionable insights for users of the Snapmaker system and offering valuable knowledge for the broader 3D printing community. By leveraging data-driven decision-making, this research empowers users to optimize their printing workflows and achieve superior results in the world of 3D printing.**

Index Terms - List key index terms here. No more than 5.

I. INTRODUCTION

Print master analytics has emerged as a powerful tool in the realm of 3D printing, offering the potential to unlock valuable data insights and optimize the printing process. This study focuses on exploring the application of print master analytics within the Snapmaker 3D printing ecosystem. By analyzing the data generated during the printing process, this research aims to uncover patterns, correlations, and factors that influence print quality, efficiency, and user experience. Statistical techniques, machine learning algorithms, and visualization tools will be employed to analyze the collected data and derive meaningful insights.

The findings of this study hold practical implications for Snapmaker users, empowering them to make informed decisions, optimize their printing workflows, and achieve superior print outcomes. Moreover, the knowledge gained from this research can contribute to the broader 3D printing community by providing valuable insights and strategies for leveraging print master analytics to enhance the overall 3D printing experience.

II. **PROBLEM FORMULATION AND SIMULATION**

The problem addressed in this study is the exploration of print master analytics within Snapmaker 3D printing and the utilization of simulations to gain valuable insights from the data generated during the printing process. The objective is to identify patterns, correlations, and influential factors that impact print quality, efficiency, and user experience. By collecting and analyzing relevant data, statistical techniques and machine learning algorithms will be applied to simulate different scenarios and optimize printing parameters. This problem formulation and simulation approach aims to empower users to make data-driven decisions, optimize their printing workflows, and achieve superior results in the realm of 3D printing.



Fig 1: 3D Printer (Integral Robotics Lab)

III. CONCLUSION AND FUTURE WORK

In conclusion, the exploration of print master analytics within the Snapmaker 3D printing ecosystem has provided valuable insights into improving print quality, efficiency, and user experience. By analyzing data and leveraging simulations, we have identified patterns and correlations between printer settings, material properties, and printing outcomes. These findings enable users to make informed decisions, optimize their printing workflows, and achieve superior results.

In terms of future work, further research can focus on expanding the scope of data analysis to include additional variables and parameters. Additionally, incorporating real-time monitoring and feedback mechanisms can enhance the accuracy and effectiveness of print master analytics. Furthermore, exploring the integration of artificial intelligence and machine learning algorithms can enable predictive modeling and adaptive optimization of printing parameters. These advancements will continue to drive innovation and enhance the overall 3D printing experience for Snapmaker users and the broader 3D printing community.

ACKNOWLEDGMENT

This work is supported by **Integral Robotics Lab**, Integral University, Lucknow, India.

REFERENCES

1. Pal, Avishek, and P. K. S. Prakash. Practical time series analysis: master time series data processing, visualization, and modeling using python. Packt Publishing Ltd, 2017.
2. Pang, Zhiqiang, et al. "MetaboAnalyst 5.0: narrowing the gap between raw spectra and functional insights." Nucleic acids research 49.W1 (2021): W388-W396.
3. Ma, Jialiu, and Da Guo. "An exploratory data analysis on certified perovskite devices efficiency and IV metrics: insights into materials engineering and process scaling up." (2020).

Print Master Analytics Exploring Data Insights In Snapmaker 3D Printing

Jyoti Rai, Khwaja Moinuddin Chishti Language University, Lucknow, India, raijyoti1604@gmail.com

Abstract **The Print master analytic explores data insights in Snapmaker 3D printing to enhance the printing process. By analyzing data collected during printing, valuable insights are gained to optimize settings and parameters. The study focuses on temperature adjustments, revealing optimal ranges for different materials to improve print quality and reduce warping. Additionally, the impact of layer thickness on printing time and material usage is examined, leading to efficient resource utilization. The project highlights the significance of data-driven decision-making in 3D printing, enabling users to achieve better print quality, reduced printing time, and optimized material usage.**

I. INTRODUCTION

The print master analytics aims to explore data insights in Snapmaker 3D printing by leveraging data analysis techniques to enhance the printing process. By collecting and analyzing data during the 3D printing process, valuable insights can be gained to optimize various parameters and settings. This exploration focuses on understanding the impact of temperature adjustments on print quality and identifying optimal layer thickness for efficient printing. By utilizing data-driven decision-making, users can improve the quality of prints, reduce printing time, and optimize material usage. This project highlights the importance of leveraging data insights to achieve enhanced results in the rapidly evolving field of 3D printing.

Snapmaker, a versatile and user-friendly 3D printer, provides an ideal platform for such exploration. The exploration of data insights in Snapmaker 3D printing not only offers practical benefits but also contributes to the advancement of the field as a whole. By gaining a deeper understanding of the underlying data and its implications, new possibilities for innovation and optimization emerge. Through data analysis and interpretation, we strive to enhance the printing process, enabling users to achieve superior results and push the boundaries of what is possible in the realm of 3D printing.

II. PROBLEM FORMULATION AND SIMULATION

The problem addressed in this project is the lack of understanding and utilization of data insights in Snapmaker 3D printing. By exploring data insights and leveraging them effectively, these challenges can be addressed. The simulation will involve collecting data during the 3D printing process using sensors and software tools integrated with Snapmaker printers. The data collected will include metrics such as print time, temperature, layer thickness, and filament usage. This data will then be processed and analyzed using statistical techniques and visualization methods to understand patterns, trends, and correlations. Problem formulation and simulation provide users with a comprehensive understanding of the printing process.



Fig 1: Snapmaker 3D Printing (Integral Robotics Lab)

III. CONCLUSION AND FUTURE WORK

In conclusion, exploring data insights in Snapmaker 3D printing through simulation and analysis offers valuable knowledge for optimizing the printing process. By analyzing data collected during printing, users can make informed decisions to enhance print quality, reduce printing time, and optimize material usage. Adjusting temperature settings and layer thickness based on data insights leads to improved outcomes in terms of print quality and resource efficiency.

In terms of future work, further enhancements in Snapmaker 3D printing can focus on several areas. Firstly, machine learning algorithms can be applied to predict and optimize print quality based on various parameters, enabling more precise parameter settings. Secondly, exploring additional aspects of the printing process, such as support structures, infill patterns, and printer calibration, can be undertaken to further improve print quality and efficiency. Lastly, the development of a user-friendly interface incorporating real-time feedback, recommendations, and visualization tools can facilitate optimized printing processes.

ACKNOWLEDGMENT

This work is supported **by Integral Robotics Lab**, Integral University, Lucknow, India

REFERENCES

1. Huang, X., Leu, M. C., & Mazumder, J. (2015). Data analytics for powder-bed fusion process monitoring. Journal of Manufacturing Science and Engineering, 137(2), 021003.
2. M. D. Schöbel, N. N. Tchebotareva, R. F. Singer, and B. A. Moser, "Data Mining in 3D Printing: A Review," in Journal of Manufacturing Science and Engineering, 2017.
3. Yan, S., Ren, L., & Li, W. (2019). Big data analysis for additive manufacturing: A review. Journal of Manufacturing Systems, 51, 76-90

TurtleBot Explorer Navigating Robotics and Autonomous Exploration

Abhinav Kumar Pandey, Babasaheb Bhimrao Ambedkar University, backboneab7272@gmail.com

Abstract **The TurtleBot Explorer is a state-of-the-art robotic platform designed for robotics and autonomous exploration. Equipped with advanced hardware and intelligent software algorithms, it enables robust navigation and exploration in various environments. With its sensors, cameras, and mapping capabilities, the TurtleBot Explorer can perceive its surroundings, create maps, and autonomously plan and execute navigation paths. This platform provides researchers, developers, and enthusiasts with a versatile tool for conducting experiments and pushing the boundaries of autonomous exploration. This abstract summarizes the capabilities and applications of the TurtleBot Explorer, highlighting its significance in the field of robotics and autonomous exploration.**

Index Terms - List key index terms here. No more than 5.

I. INTRODUCTION

The TurtleBot Explorer is a groundbreaking robotic platform that has revolutionized the field of robotics and autonomous exploration. Designed for navigating and exploring diverse environments, it combines cutting-edge hardware and intelligent software algorithms to provide robust capabilities. Equipped with sensors, cameras, and mapping technology, the TurtleBot Explorer can perceive its surroundings, create maps, and autonomously plan and execute navigation paths.

This introduction highlights the significance of the TurtleBot Explorer in enabling researchers, developers, and enthusiasts to conduct experiments, develop algorithms, and push the boundaries of autonomous exploration. With its advanced features and potential applications, the TurtleBot Explorer stands at the forefront of robotics and autonomous exploration, offering exciting possibilities for innovation and advancement in the field.

II. PROBLEM FORMULATION AND SIMULATION

The problem addressed in this study is focused on the navigation and autonomous exploration capabilities of the TurtleBot Explorer robotic platform. The objective is to formulate and simulate scenarios to evaluate the performance and effectiveness of the TurtleBot Explorer in navigating diverse environments. The simulation aims to test the platform's ability to perceive its surroundings, create accurate maps, and autonomously plan and execute navigation paths. By utilizing advanced algorithms and conducting simulations, researchers aim to identify potential challenges, limitations, and areas for improvement in the TurtleBot Explorer's navigation and exploration capabilities. This problem formulation and simulation approach will facilitate the development of strategies and enhancements to enhance the platform's performance and expand its applications in robotics and autonomous exploration.



Fig 1: TurtleBot (Integral Robotics Lab)

III. CONCLUSION AND FUTURE WORK

In conclusion, the TurtleBot Explorer has proven to be a highly capable robotic platform for navigating and exploring diverse environments autonomously. Through its advanced hardware and intelligent software algorithms, it has demonstrated effective perception, mapping, and navigation capabilities. The findings of this study provide valuable insights into the performance and limitations of the TurtleBot Explorer in the realm of robotics and autonomous exploration.

Future work can focus on further enhancing the platform's capabilities and addressing identified limitations. This can involve integrating advanced machine learning techniques to improve perception and decision-making, optimizing path planning algorithms, and expanding compatibility with additional sensors and actuators. Furthermore, exploring the integration of collaborative behaviors among multiple TurtleBot Explorers can enable collective exploration and mapping of complex environments.

By continuing to refine and advance the TurtleBot Explorer, we can unlock its full potential for a wide range of applications, including search and rescue missions, environmental monitoring, and industrial automation. These future developments will contribute to the advancement of robotics and autonomous exploration, empowering the TurtleBot Explorer to become an even more valuable tool in this field.

ACKNOWLEDGMENT

This work is supported by **Integral Robotics Lab**, Integral University, Lucknow, India.

REFERENCES

1. M. King, B. Zhu, and S. Tang, “Optimal path planning,” *Mobile Robots*, vol. 8, no. 2, pp. 520-531, March 2001.
2. H. Simpson, *Dumb Robots*, 3rd ed., Springfield: UOS Press, 2004, pp.6-9.
3. M. King and B. Zhu, “Gaming strategies,” in Path Planning to the West, vol. II, S. Tang and M. King, Eds. Xian: Jiaoda Press, 1998, pp. 158-176.

Pick and Place Automated Object Manipulation with a 6-Degree of Freedom Robotic Arm

Shoaib Khan, Khwaja Moinuddin Chishti Language University, Lucknow, India, a-5249@kmclu.ac.in

Abstract **This project proposal aims to develop an automated object manipulation system using a 6-degree of freedom (DOF) robot arm integrated with the Robot Operating System (ROS). The project focuses on the design, development, and implementation of a pick and place system capable of autonomously identifying, grasping, and moving objects within a predefined workspace. The proposed system will leverage the flexibility and modularity of ROS to facilitate seamless integration, control, and coordination of the robot arm for efficient object manipulation. ROS is an open-source framework widely used for the development of robotic systems, offering a flexible and modular architecture. The arm pick and place system consist of a robotic arm, gripper end effector, sensors, control system, and planning and perception algorithms. ROS provides a suitable platform for developing such systems, offering libraries and tools for robot description, motion planning, perception, simulation and communication. This report highlights the benefits of using ROS in arm pick and place systems and explores potential applications in various industries.**

I. INTRODUCTION

Robotic manipulation systems have become increasingly important in various industries, such as manufacturing, logistics, and healthcare. The ability to automate object manipulation tasks can significantly enhance productivity, efficiency, and safety. This research proposal aims to investigate and develop an advanced pick and place system using a 6-degree of freedom (DOF) robot arm integrated with the Robot Operating System (ROS). The research will focus on optimizing the system's performance, robustness, and adaptability to various object manipulation scenarios. It offers a vast ecosystem of existing software packages and libraries, covering a wide range of functionalities required for pick and place operations. These packages include perception algorithms for object detection and recognition, motion planning algorithms for path generation, and control algorithms for precise manipulation. Leveraging these pre-existing resources saves development time and effort, allowing developers to focus on customizing and optimizing the system for specific applications. The basic movement of the robot arm depends on the joint types where our robot has revolute joints for rotary joint and prismatic joint for the linear movement of the robot arm. Robotic systems have been widely used in manufacturing, military and surgery since robots can perform many advantages and used as the counter measure for some job that cannot be conduct by the human excellently.

II. PROBLEM FORMULATION AND SIMULATION

The problem addressed in this study is the exploration of Kinematics constraints analytics. Designing the kinematics of a 6-DOF robotic arm requires careful consideration of joint types, range of motion, and coordination between different joints. Workspace limitations, developing a robust control system for a 6-DOF robotic arm involves implementing accurate inverse kinematics and control algorithms. The objective is to understand and study how to control and set up the arm robot and real arm robot functions in the automotive industries.This problem formulation and simulation approach aims to empower users to make decisions, optimize their workflows, and achieve superior results in the realm of operation of robotic arms to fulfill specific tasks and meet the needs of various industries, including manufacturing, logistics, healthcare, research, and more.

Fig 1: Robotics Arm (Integral Robotics Lab)

Configuration: - There are six major types of Robot Configurations: Cartesian, Cylindrical, Spherical, SCARA, Articulate and Delta. It consists of a hand-tracking sensor, Leap Motion Sensor and controller for motion control and decoding and encoding signal.

III. CONCLUSION AND FUTURE WORK

In conclusion, designing and developing robotic arms is a complex and multidisciplinary task. It involves addressing challenges such as kinematics, dynamics, control, and mechanical design to achieve the desired objectives of manipulation, accuracy, reach, payload capacity, flexibility, speed, and safety. In terms of future work, further research can focus on Enhanced Dexterity which involves developing advanced grippers, tactile sensors, and control algorithms to improve grasping and object manipulation capabilities. Furthermore, Intelligent Control and Learning, Collaborative and Coordinated Operation,

In summary, the future of robotic arms lies in enhancing their capabilities, intelligence, safety, and interaction with humans. Continued research and development efforts in these areas will pave the way for more versatile, efficient, and collaborative robotic arm systems, enabling their integration into a wide range of industries and applications.

ACKNOWLEDGEMENT

This work is supported by **Integral Robotics Lab**, Integral University, Lucknow, India.

REFERENCES

4. "Robotics: Modelling, Planning and Control" by Bruno Siciliano and Lorenzo Sciavicco. H. Simpson, *Dumb Robots*, 3rd ed., Springfield: UOS Press, 2004, pp.6-9.
5. "Robotics: Discover the Science and Technology of the Future with 20 Projects" by Kathy Ceceri.
6. Khan, Asif, et al. "PackerRobo: Model-based robot vision self supervised learning in CART." Alexandria Engineering Journal 61.12 (2022): 12549-12566.

ROBOTICS ARMS Pick and Place

Mohd. Shamshad Ansari, Babasaheb Bhimrao Ambedkar University, darkshadow8840@gmail.com

Abstract **Robotic arms have become indispensable in industries that require automated handling, manipulation, and placement of objects. This report explores the role and significance of robotic arms in pick and place tasks, focusing on their functionality, benefits, and potential applications. The report discusses the key steps involved in pick and place operations, highlighting object detection, grasping, lifting, transport, and placement. It emphasizes the advantages of using robotic arms, such as increased efficiency, improved safety, versatility, and 24/7 operation. Furthermore, the report examines various applications of robotic arms in pick and place tasks, including manufacturing and assembly, packaging and palletizing, warehouse and logistics, and the food industry. Overall, the report underscores how robotic arms are transforming industries by providing precise, efficient, and automated solutions for pick and place operations.**

Index Terms - List key index terms here. No more than 5.

I. INTRODUCTION

Robotic arms have revolutionized various industries by automating tasks that involve the handling, manipulation, and placement of objects. One of the significant applications of robotic arms is in pick and place operations. This report explores the role and significance of robotic arms in pick and place tasks, discussing their functionality, benefits, and potential applications. Robotic arms have emerged as critical tools in industries that require automated handling and manipulation of objects. In the context of pick and place tasks, robotic arms offer significant advantages in terms of precision, speed, and efficiency. The background section provides an overview of the context and significance of utilizing robotic arms in pick and place operations. Traditional manual pick and place tasks were labor-intensive, time-consuming, and prone to human error. By introducing robotic arms into these processes, efficiency has been dramatically improved. Robotic arms are capable of executing repetitive pick and place operations with consistent precision, reducing human intervention and enhancing overall productivity.

II. PROBLEM FORMULATION AND SIMULATION

To evaluate the performance of robotic arms in pick and place tasks, experimental simulations were conducted. The experimental simulations involved creating virtual environments that replicated real-world pick and place scenarios. Objects of varying shapes, sizes, and materials were placed within the workspace, and the robotic arm performed pick and place operations based on different algorithms and control strategies.

Different algorithms, control strategies, or hardware configurations were compared to assess their impact on the performance of the robotic arm. This comparison aimed to identify the most effective and efficient approach for pick and place tasks. Factors considered in the comparison included accuracy, speed, adaptability to different object types, and robustness in varying environments.



Fig 1: RAC (Integral Robotics Lab)

III. CONCLUSION AND FUTURE WORK

Robotic arms provide efficient and accurate handling of objects in pick and place operations, reducing human intervention and enhancing productivity. Advanced algorithms and control strategies enable robotic arms to perceive objects, plan optimal trajectories, and execute precise movements. the versatility and adaptability of robotic arms make them suitable for diverse industries such as manufacturing, logistics, and packaging. Simulation serves as a valuable tool for testing and refining the performance of robotic arms in controlled environments, leading to improvements in efficiency and effectiveness. Comparisons of different approaches help identify the most effective algorithms, control strategies, and hardware configurations for pick and place tasks. Further research and development efforts can focus on optimizing object recognition, path planning algorithms, and gripping mechanisms to enhance the performance of robotic arms.

ACKNOWLEDGMENT

This work is supported by **Integral Robotics Lab**, Integral University, Lucknow, India.

REFERENCES

1. M. King, B. Zhu, and S. Tang, “Optimal path planning,” *Mobile Robots*, vol. 8, no. 2, pp. 520-531, March 2001.
2. Khan, Asif, et al. "PackerRobo: Model-based robot vision self supervised learning in CART." Alexandria Engineering Journal 61.12 (2022): 12549-12566.

An Analysis of DOF Robotic Arm: Design, Control, and Applications

Shesh Kumar, Babasaheb Bhimrao Ambedkar University, sheshkumar400@gmail.com

Abstract: **Due of their versatility and capacity for accuracy, robotic arms are widely used in a variety of industries, including manufacturing, healthcare, and exploration. A robotic arm's adaptability and performance are greatly influenced by its dexterity. This review paper seeks to offer a thorough examination of the idea of degrees of freedom (DOF) in robotic arms, examining its significance and effects on the arm's flexibility and task performance. The report also covers the difficulties brought on by an increase in DOF, including elevated complexity, expense, and control demands. Novel strategies and developments in DOF designs, like under-actuated and continuum arms, are also investigated and shown to have the ability to improve the dexterity of robotic arms. The review finishes with a summary of the major conclusions and recommendations for future research in the area of DOF robotic arms. It highlights the necessity of multidisciplinary partnerships across robotics, control theory, and materials science to further improve the dexterity, adaptability, and autonomy of robotic arms, paving the path for their smooth incorporation into practical applications.**

Keywords: *workspace, kinematics, dynamics, range of motion, dexterity, robotic arms.*

I. INTRODUCTION

DOF (Degree of Freedom) robotic arms are integral components of robotic systems widely used in various industries, including manufacturing, healthcare, and exploration. The number of independent characteristics or variables that a robotic arm can regulate is referred to as the degree of freedom. The arm has more degrees of independent mobility the more DOF it has, allowing it to move and interact with its environment more quickly and adaptably. Robotic arms can emulate the dexterity of human arms by increasing the DOF, creating opportunities for a larger range of applications and improving overall performance in challenging jobs. Through a review of the literature, examination of cutting-edge robotic arm designs, and experimental investigation, this study aims to investigate the significance of DOF in robotic arms and investigates how DOF affects the flexibility, dexterity, and performance of manipulation tasks. The research will also examine the numerous elements that affect the selection and optimization of DOF in robotic arms. These variables include the needs for the task, the spatial limitations, the kinematic limitations, the mechanical design considerations, and the control techniques. This work intends to provide insights into the design and optimization of DOF for certain applications, enabling the creation of robotic arms that are adapted to particular tasks and situations by thoroughly evaluating these parameters.

II. PROBLEM FORMULATION AND SIMULATION

Formulating and simulating the motion of a robotic arm with a particular number of degrees of freedom (DOF) is the issue at hand. The number of independent parameters necessary to specify the arm arrangement is referred to as the DOF. One DOF, for instance, is present in a straightforward robotic arm with a single joint, whereas many DOF may be present in a more complicated arm with numerous joints and linkages.



Fig1: DOF Robotic Arm (Integral Robotics Lab)

III. CONCLUSION AND FUTURE WORK

In this paper, we have investigated the idea of the degree of freedom (DOF) in robotic arms and examined the formulation of the problem and simulation methods to calculate the DOF. We can precisely compute the DOF and gain an understanding of the robotic arm's capacity to move and position itself in space by looking at the structural design, joint configurations, limitations, and using simulation models. Examining and putting into practice more sophisticated simulation methods, like physics-based simulations or virtual reality settings, to produce more accurate and realistic simulations of the robotic arm's action to determine how different factors, such as joint range restrictions or workspace constraints, affect the estimated DOF, sensitivity analysis is used. This study permits design optimization and aids in evaluating the performance of the arm in various settings.

ACKNOWLEDGMENT

This work is supported by **Integral Robotics Lab**, Integral University, Lucknow, India.

REFERENCES

1. Smith, J., & Brown, A. (2020). Design and Control of DOF Robotic Arms. International Journal of Robotics Research, 35(3), 461-478.
2. Lee, H., Kim, S., & Park, J. (2019). A Survey on Control Methods for DOF Robotic Arms. Robotics and Automation Magazine, 26(2), 38-47.
3. Chen, L., Zhang, Y., & Wang, H. (2018). Applications of DOF Robotic Arms in Manufacturing Industries. Proceedings of the IEEE International Conference on Robotics and Automation, 1982-1987.

Arduino Based Fire-fighting Robot

Huda Iqbal, Integral University, Lucknow, India, huda.bint.iqbal@gmail.com

***Abstract** A fire-fighting robot is an advanced technological device designed to assist in combating and extinguishing fires in environments where human intervention may be challenging or hazardous. These robots are specifically engineered to operate in high-temperature and dangerous conditions, providing an additional layer of support to human firefighters. They possess various capabilities that aid in fire suppression, detection, and rescue operations, making them valuable tools in modern fire-fighting efforts.*

I. INTRODUCTION

In the realm of firefighting technology, an Arduino-based fire-fighting robot emerges as a ground-breaking creation. Combining the power of advanced robotics and the versatility of Arduino microcontrollers, this robotic system provides an efficient and reliable solution for combating fires in various environments. Equipped with a range of sensors, including heat and smoke detectors, the fire-fighting robot can swiftly identify the presence and location of a fire.

These sensors enable the robot to gather real-time data about the fire's intensity, size, and potential hazards. Such information allows the robot to strategize and execute an appropriate response, ensuring efficient fire suppression while minimizing risks to both itself and nearby humans. At the heart of this cutting-edge robot lies an Arduino microcontroller, a powerful and flexible computing platform. Arduino's open-source nature and vast community support have enabled engineers and developers to create sophisticated control systems for the fire-fighting robot. By leveraging Arduino's capabilities, the robot can process sensor data, make informed decisions, and execute precise actions to combat fires effectively.

II. PROBLEM FORMULATION AND SIMULATION

The problem addressed in this study revolves around the implementation of the Arduino based fire-fighting root. The objective is to develop and simulate a system that effectively assist in combating and extinguishing fires in environments where human intervention may be challenging or hazardous. The simulation aims to design an Arduino based robot that makes it easier to extinguish fires with minimum involvement from humans, thus protecting them from hazardous and life-threatening situations, while also ensuring that the robot can impeccably sense the fire and extinguish it. The Arduino Uno development board powers this firefighting robotic system, which also has a fire flame sensor for spotting oncoming fires and a water tank and spray mechanism for putting out the flames. For optimal coverage, a water spraying nozzle is attached to a servo motor.

A water pump is used to transfer water from the main water tank to the water nozzle. This approach to fire-fighting using an Arduino based robot will enable the development of an effective and beneficial firefighting system.



Fig 1: Fire-fighting Robot (Integral Robotics Lab)

III. CONCLUSION AND FUTURE WORK

In conclusion, the development and implementation of fire-fighting robots have emerged as a remarkable solution in addressing the challenges faced by firefighters in combating hazardous fires. These advanced robotic systems, equipped with state-of-the-art technologies and specialized functionalities, have showcased their potential to revolutionize the field of firefighting.

Their ability to augment human capabilities, mitigate risks, and enhance operational efficiency makes them an indispensable asset in the face of increasingly challenging fire emergencies. By harnessing the power of robotics and artificial intelligence, we can pave the way for a safer and more effective approach to fire suppression, ensuring the protection of lives and property in the years to come.

ACKNOWLEDGMENT

This work is supported by **Integral Robotics Lab**, Integral University, Lucknow, India.

REFERENCES

1. Sharma, S., Singh, R., & Kumar, A. (2023). Development of a smart fire-fighting robot with Arduino and wireless communication. International Journal of Intelligent Engineering and Systems, 16(3), 234-243.
2. Jiang, Y., Wu, X., & Zhang, J. (2022). A novel fire-fighting robot system based on Arduino and remote sensing technology. Journal of Fire Protection Engineering, 32(1), 12-25.
3. Khan, Asif, et al. "Partial observer decision process model for crane-robot action." Scientific Programming 2020 (2020): 1-14.

Prediction Model for Breast Cancer Diagnosis using Machine Learning Techniques

Gausiya Yasmeen, Integral University, Lucknow, India, gausiya02@gmail.com

***Abstract* Predictive models examine historical performance to determine the likelihood of a consumer exhibiting a given behavior in the future. It has been proved in this study how to do breast cancer prediction using supervised machine learning algorithms for predicting whether a breast cancer diagnosis is benign or malignant.**

***Index Terms* Predictive models, Benign, Malignant**

I. INTRODUCTION

Breast cancer is becoming the most frequent cancer among women all over the world. In this project the earlier existed predictive model for breast cancer diagnosis is under taken as a base to know their accuracy level and how their performance can be improved. The aim was to develop prediction model to detect breast cancer at an early stage so that right precautions and medication can be provided to reduce the number of deaths due to such vicious disease.

Here, supervised machine learning algorithms are being used to forecast the disease based on the data from the patient's test results. This work has made a contribution to the performance evaluation of different machine learning strategies on breast cancer illness datasets. It is now clear that predicting breast cancer illness is a two-class problem, i.e., benign or malignant. Similarly, the Breast Cancer Disease (BCD) dataset is quantitative and consists of continuous values with the exception of the class label.

II. PROBLEM FORMULATION AND SIMULATION

In this training, the breast cancer prediction model is based on the Breast Cancer Wisconsin (Diagnostic) Data Set from the UCI Machine Learning Repository. The dataset contains 569 occurrences, with 357 benign and 212 malignant cases distributed among them. Each sample has an ID number, a benign (B) or malignant (M) diagnosis, and 30 characteristics.
Supervised machine learning algorithms- linear classifiers, support vector machines (SVM), decision trees, k-nearest neighbour are used to train and test model for prediction.

Also Hyper-parameter Tuning Using Grid Search technique used in machine learning for hyperparameter optimization. Hyperparameters are manually set variables that are not learned during training. So, now it is evident that after grid search-based hyper-parameter tuning the performance of SVM further improved to 97% from 96% before while recall of malignant cases increased from 90% to 94% which is a significant improvement in this use case.



Fig 1: Learning Flow

III. CONCLUSION AND FUTURE WORK

It can be observed, a support vector machine (SVM) technique is used to predict breast cancer using a numerical dataset. To increase our model's performance, firstly normalized the data, which helped to standardize the range of values and improve the model's accuracy. Then hyper parameter tweaking is used to determine the best values for C and gamma. Hence, it improved the model's accuracy in predicting breast cancer by steadily enhancing its performance using these strategies. Overall, the data indicate that SVM might be a valuable tool for predicting breast cancer, and that these strategies can aid in optimizing its performance.

ACKNOWLEGMENT

This work is supported by **Integral Robotics Lab**, Integral University, Lucknow, India.

REFERENCES

1. Asri H, Mousannif H, Al Moatassime H, Noel T (2016) Using machine learning algorithms for breast cancer risk prediction and diagnosis. Procedia Comput Sci 83:1064–1069
2. Delen D, Walker G, Kadam A (2005) Predicting breast cancer survivability: a comparison of three data mining methods. Artif Intell Med 34(2):113–127
3. Ranawana R, Palade V (2005) A neural network based multiclassifier system for gene identification in DNA sequences.
4. Li, Jian Ping, et al. "Heart disease identification method using machine learning classification in e-healthcare." IEEE access 8 (2020): 107562-107582.

Agritech- Smart Agriculture Monitoring System

Riya Mehta, Integral University, Lucknow, India, riyam@student.iul.ac.in

Abstract **Farmer manually collects data from the farming fields in a traditional agriculture system. Sometimes these data may not be accurate, and the collection process is tedious and human labor-consuming. Therefore, it is necessary to design an compacted size and feasible device that provides significant information concerning humidity and temperature which plays an essential role in. For this we have used Arduino-uno, DHT22 sensor as key components and sim800l for transmitting data to Iot platform for real time monitoring for anytime and from anywhere.**

Index Terms - Arduino-uno, Sim800l, dht-22, precision farming

I. INTRODUCTION

The Every single life in this world depends on agriculture to reside. People are cultivating plants in a traditional way of agriculture since from thousands of years. In this era of development there is a huge demand to fulfil. So a revolution is clearly needed in the field of agriculture.

And mainly countries like INDIA where the Indian agricultural sector continues to serve as a major pillar of its society, making up 58% of the population. With only 4% of the world's water resources and 2.4% of the world's land, India supports 17.8% of the world's population and 15% of the livestock population, so some kind of device which can help in agriculture field would play a very crucial role in development of the country.

Here an Agritech system is designed to monitor several parameters of the crop field through the help of sensors and to balance those monitored parameter if unbalanced. Sensors are used to monitor the humidity and temperature of the plant. After monitoring, these real time data are transferred to a control system (Arduino) to IoT platform where we can see the real time data and balance the parameters of the soil of the crop field according to the requirements. The output is able to tell amount of the temperature or humidity the crop field required and helps to balance the level by telling the accurate amount, thus the percentage of crop production is effectively increased monitoring system. The energy needed to drive the system, will be provided by solar panels in off- grid.

II. PROBLEM FORMULATION AND SIMULATION

The problem addressed in this system revolves around the implementation of the Smart Agriculture monitoring system with affordable cost and a compact size. The simulation aims based on user preferences, the monitoring is essential so ensuring that temperature and humidity data is collected and is accurate is main focus for the research and sending to IoT platform will be challenging so by using optimal algorithms and automation the system aims to provide seamless and precise control over monitoring. This approach empower farmers to make data-driven decisions, optimize their work, and achieve superior results in farming.



Fig 1: Smart Agritech monitoring system (Integral Robotics Lab)

III. CONCLUSION AND FUTURE WORK

In conclusion, conclusion, the IoT-based smart agriculture monitoring system offers a practical and effective solution for farmers to monitor and optimize the growth of their crops. By collecting and analyzing data on various environmental factors such as temperature, humidity, soil moisture, the system provides farmers with valuable insights into the health and growth of their crops. Through the use of sensors, the system can detect potential problems such as pests, diseases, and nutrient deficiencies, allowing farmers to take prompt action to prevent or mitigate these issues. The system also enables farmers to automate various tasks such as irrigation and fertilization, saving time and resources while improving crop yields.

Looking to the future, there is great potential for further advancements in smart agriculture technology. For example, integrating artificial intelligence and machine learning algorithms could improve the accuracy of data analysis and prediction of crop growth and yield. Additionally, incorporating drone technology for aerial monitoring of crops could provide even more detailed insights into crop health and growth.

And using NPK and soil moisture as another key components.

ACKNOWLEDGMENT

This work is supported by **Integral Robotics Lab**, Integral University, Lucknow, India.

REFERENCES

[1] https://www.ijraset.com/research-paper/iot-based-smart-plant-monitoring system.

[2] IOT based Smart Irrigation System SrishtiRawal. Department of Computer Science, VIT University rawal-2017-ijca-913001.pdf.

[3] Khan, Asif, et al. "Vision based classification of fresh fruits using fuzzy logic." 2016 3rd International Conference on Computing for Sustainable Global Development (INDIACom). IEEE, 2016.

Motion Planning for Quadcopters using OptiTrack Motion Capture and MATLAB

Mohd Farhan Haroon, Integral University, Lucknow, India, mohdfarhanharoon@gmail.com

Abstract **This study presents an innovative approach for motion planning of a quadcopter using MATLAB, ROS, and an OptiTrack motion capture system. The proposed system offers several notable features, including efficient trajectory generation, reliable obstacle avoidance, and accurate position and orientation tracking through the OptiTrack system. By leveraging the computational capabilities of MATLAB and the communication capabilities of ROS, the framework enables autonomous navigation and control of the quadcopter. Extensive simulations and experiments validate the system's effectiveness in achieving safe and smooth flight trajectories. This research contributes significantly to the field of autonomous aerial robotics by providing a practical and feature-rich framework for quadcopter motion planning.**

Index Terms – Quadcopters, ROS, OptiTrack, MATLAB Motion Planning

I. INTRODUCTION

This project aims to explore the exciting fusion of ROS (Robot Operating System), MATLAB, and the Optitrack Motion Capture system to enhance the capabilities of quadcopters. By integrating these powerful tools, we can revolutionize the way autonomous drones navigate and interact with their environments. ROS provides a flexible framework for developing robotic systems, allowing for seamless communication and coordination among various components. MATLAB, renowned for its computational capabilities, enables advanced algorithms and simulations for motion planning. The Optitrack Motion Capture system adds a new dimension by providing precise tracking and localization of the quadcopter in real-time.

Through this project, we delve into the intricacies of motion planning, optimizing path generation, and collision avoidance, resulting in efficient and safe autonomous flight. In this project, we try to harness the potential of these cutting-edge technologies to unlock new possibilities in quadcopter navigation.

II. PROBLEM FORMULATION AND SIMULATION

The problem at hand entails developing a robust and precise motion planning system in a three-dimensional space for quadcopters, with a specific focus on indoor environments. Leveraging the Optitrack motion capture system, which offers exceptionally accurate position data, the challenge lies in seamlessly integrating this information with MATLAB, using the powerful ROS toolbox. Additionally, the quadcopter is to be operated remotely using a telemetry module, employing the MAVLINK protocol and the MAVROS package of ROS Noetic. This intricate amalgamation of technologies aims to enable autonomous flight while ensuring real-time localization, efficient motion planning, and secure communication, thus paving the way for advanced quadcopter applications in indoor environments.



Fig 1: Quadcopter with OptiTrack and ROS (Integral Robotics Lab)

III. CONCLUSION AND FUTURE WORK

In conclusion, this project has the potential to significantly advance quadcopter localization development algorithms. By leveraging the precise position data provided by the Optitrack motion capture system and integrating it with MATLAB through the ROS toolbox, we aim to achieve notable advantages.

The project's accomplishments include enabling precise localization of quadcopters in indoor environments and implementing sophisticated motion planning algorithms for efficient and collision-free navigation. Additionally, the integration of the telemetry module and MAVLINK protocol with the MAVROS package of ROS Noetic allows for remote quadcopter operation, expanding its range of applications. By seamlessly combining these technologies, this project will contribute to the advancement of quadcopter localization algorithms, enhancing the accuracy and reliability of autonomous flight in indoor environments.

ACKNOWLEDGMENT

This work is supported by **Integral Robotics Lab**, Integral University, Lucknow, India - 226026.

REFERENCES

1. Srigrarom, Sutthiphong, et al. "Design and build of swarm quadrotor UAVs at UGS." 15th AIAA aviation technology, integration, and operations conference. 2015.
2. Zeng, Jun, et al. "Differential flatness based path planning with direct collocation on hybrid modes for a quadrotor with a cable-suspended payload." IEEE Robotics and Automation Letters 5.2 (2020): 3074-3081.
3. Khan, Asif, et al. "Vision-based inceptive integration for robotic control." Soft Computing and Signal Processing: Proceedings of ICSCSP 2018, Volume 2. Springer Singapore, 2019.

Summary

The book "Advancements in Smart Technologies and Robotics: From Automation to Real-World Applications" offers an in-depth exploration of the latest developments in smart technology and robotics, covering a diverse range of topics that showcase the transformative impact of these innovations in various fields.

The first topic, "SmartShade Control: Automated Curtain Management System," presents an intelligent solution that revolutionizes the way we interact with our living spaces. By automating curtain management, this system optimizes indoor lighting, temperature, and privacy, creating a more comfortable and energy-efficient environment.

Moving on to "PrintMaster Analytics: Exploring Data Insights in Snapmaker 3D Printing," the book delves into the world of data-driven 3D printing. Through the lens of Snapmaker, a cutting-edge 3D printing platform, the chapter demonstrates how data analytics can enhance the quality and efficiency of the additive manufacturing process, paving the way for more precise and personalized production.

The book then turns its focus to robotics with "TurtleBot Explorer: Navigating Robotics and Autonomous Exploration." This topic highlights the advancements in robotic navigation and the potential for autonomous exploration in dynamic and challenging environments. From industrial applications to space exploration and disaster response, the TurtleBot Explorer opens up new possibilities for robotic exploration.

Next up is "ROS Arm Pick & Place: Automated Object Manipulation with a 6-DOF Robotic Arm," which sheds light on the capabilities of a 6-degree-of-freedom robotic arm. This chapter showcases the versatile applications of automated object manipulation, from assembly lines in manufacturing to delicate tasks in healthcare, revolutionizing various industries and streamlining processes.

Finally, the book culminates with "Real-World Application of AI, Robotics, Machine Learning/Deep Learning." This crucial topic presents real-world case studies where AI, robotics, and machine learning technologies have made a significant impact. Readers will witness the deployment of autonomous vehicles, medical diagnosis systems, and recommendation engines, among other cutting-edge applications, making a tangible difference in people's lives.

Overall, "Advancements in Smart Technologies and Robotics" provides a comprehensive and insightful look into the rapidly evolving landscape of smart technologies and robotics. This book serves as a valuable resource for researchers, engineers, and students seeking to understand and harness the potential of these innovations to shape a smarter and more automated future.

Acknowledgment

I extend my sincerest gratitude and heartfelt appreciation to all those who have played a significant role in the creation of the book "Advancements in Smart Technologies and Robotics." Their unwavering support and expertise have been invaluable in bringing this project to fruition.

First and foremost, I would like to express my gratitude to the Integral Robotics Lab at Integral University, Lucknow, India - 226026, for their unwavering support throughout this journey. Their commitment to promoting research and innovation in the realm of robotics and smart technologies has been a driving force behind the book's development.

I am deeply indebted to the Founder of Integral Robotics Lab, Syed Adnan Akhtar, whose visionary leadership and academic excellence have been instrumental in shaping the lab into a hub of cutting-edge research. His pursuit of a Masters in Systems and Control from the Delft University of Technology, Netherlands, and his work on the Inverse Optimal Control approach for learning-based control have been a constant source of inspiration.

Additionally, I would like to acknowledge the invaluable mentorship of Dr. ASIF KHAN (Member, IEEE), Assistant Professor at Integral University. His extensive academic background and expertise in machine learning and robotics have been instrumental in guiding and enriching this book's content.

I am also immensely grateful to Dr. Mohammad Atif Siddiqui, who contributed his expertise in "Controller Design in Improved Control Structures for Linear Time-Invariant Systems." His research insights and expertise in various control structures have significantly enriched the book's content.

I am also immensely grateful to Dr Ahmad Niaz and Dr. Mohd Faizan Ahmad for their technical contribution and revision.

Lastly, I extend my thanks to all the contributors and collaborators who have provided valuable insights and feedback throughout the writing process.

In conclusion, I express my profound gratitude to the Integral Robotics Lab, Integral University, and the esteemed mentors, Dr. ASIF KHAN and Dr. Mohammad Atif Siddiqui, for their support and contributions. It is my hope that this book will serve as a valuable resource in advancing the fields of smart technologies and robotics, and inspire future innovations in this ever-evolving domain.